






CERAMIC or LUXURY


300 x **600MM**





Explore the Creative **World of Ceramic Art**

Blackberry is a uprising manufacturer and exporter of all type of ceramic tiles. We are rooted in India, creating products in-line with contemporary trends of architecture to deliver excellent experiences and lavish all across the world with our voguish surfaces.





















EASY TO CLEAN

Matte surface tiles are exempt from frequent cleaning due to the best concealing of smudges and stains.

CHEMICAL RESISTANT

Our chemical-resistant tiles provide great durability against abrasion, anti-skid qualities for worker safety, and an attractive appearance.

SCRATCH RESISTANT

When it comes to the scratch resistance feature, it will win the top spot. A Matte surface prevents scratches.

FROST RESISTANT


Frost-resistant tiles are not damaged by extremely low temperatures. tile has the ability to endure freeze/thaw temperatures without significant harm.

STAIN RESISTANT

The most appealing aspect of matt finish tiles is that they require no maintenance.

300 x **600MM**





Masters of contemporary home styles

Inspired by the likeliness of natural marble, the sugar surface offers numerous options and glitter your dream home

Application Areas













www.blackberrytiles.com



RANGE





CERAMIC 🗠 LUXURY

300 x **600MM**





Size: **300 x 600MM**


SR SG 6036 FL Finish: Antiskid Matt

300 x 300mm

SR SG 6036 LT SR SG 6036 HL

RANDOM







300 x **600MM**





Finish: Size: Random: **Sugar** 300 x 600MM 4 face



SR SG 6038 FL Finish: Antiskid Matt

RANDOM

300 x 300mm

SR SG 6038 LT SR SG 6038 HL













RANDOM

SR SG 6039

Finish: Size: Random: Sugar 300 x 600MM Random:



SR SG 6039 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6039 LT SR SG 6039 HL

OM SR SC








CERAMIC 🔄 LUXURY

300 x **600MM**







Finish: Size: Random: Sugar 300 x 600MM Random:



SR SG 6040 FL Finish: Antiskid Matt 300 x 300mm

RANDOM

SR SG 6040 LT SR SG 6040 HL







300 x **600MM**





CERAMIC E LUXURY



SR SG 6041

Finish: Size: Sugar 300 x 600MM

Random:



SR SG 6041 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6041 LT SR SG 6041 HL SR SG 6041 DK







300 x **600MM**





CERAMIC E LUXURY



SR SG 6042

Finish:

Size: **300 x 600MM**

Random:



SR SG 6042 FL Finish: Antiskid Matt

300 x 300mm

SR SG 6042 LT SR SG 6042 HL SR SG 6042 DK

RANDOM

NAIND







CERAMIC 🖭 LUXURY

300 x **600MM**





Finish: Size: Random: Sugar 300 x 600MM Random:




SR SG 6043 FL Finish: Antiskid Matt

RANDOM

300 x 300mm














Finish: Size: Random: Sugar 300 x 600MM 4 face




SR SG 6044 LT SR SG 6044 HL SR SG 6044 DK RANDOM

Finish: Antiskid Matt

300 x 300mm







CERAMIC & LUXURY

300 x **600MM**





Finish: Size: Random: 300 x 600MM 1 face




SR SG 6045 FL Finish: Antiskid Matt

RANDOM

300 x 300mm

SR SG 6045 LT SR SG 6045 HL








CERAMIC E LUXURY

300 x **600MM**





CERAMIC E LUXURY



SR SG 6046

inish: Size:
Sugar 300 x 600MM

Random:




SR SG 6046 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6046 LT SR SG 6046 HL SR SG 6046 DK RANDOM

KANDO








300 x **600MM**







SR SG 6047

Size: **300 x 600MM**

Random:



SR SG 6047 FL Finish: Antiskid Matt

300 x 300mm

SR SG 6047 LT SR SG 6047 HL **SR SG 6047** DK

RANDOM














SR SG 6048

inish: Size: R

Random:



SR SG 6048 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6048 LT SR SG 6048 HL











CERAMIC E LUXURY





SR SG 6049 LT SR SG 6049 HL 1, 2 SR SG 6049 DK





SR SG 6049 LT SR SG 6049 HL 3, 4 SR SG 6049 DK

RANDOM

RANDOM

SR SG 6049


Finish: Size: Random: Sugar 300 x 600MM A face



SR SG 6049 FL Finish: Antiskid Matt

300 x 300mm














SR SG 6050

Finish: Size: 300 x 600MM

Random:



SR SG 6050 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6050 LT SR SG 6050 HL SR SG 6050 DK RANDOM











CERAMIC E LUXURY





SR SG 6051 LT **SR SG 6051** HL 1, 2 SR SG 6051 DK



SR SG 6051 LT **SR SG 6051** HL 3, 4 **SR SG 6051** DK

RANDOM



SR SG 6051


Finish: Size: Sugar 300 x 600MM



SR SG 6051 FL Finish: Antiskid Matt

300 x 300mm







300 x **600MM**









SR SG 6052 LT SR SG 6052 HL A



SR SG 6052 LT SR SG 6052 HL B



RANDOM


SR SG 6052 FL Finish: Antiskid Matt

300 x 300mm

Size: **300 x 600MM**

SR SG 6052











CERAMIC & LUXURY



SR SG 6053 DK SR SG 6053 HL 1, 2



SR SG 6053 DK **SR SG 6053** HL 3

RANDOM

SR SG 6053

Finish: Size: Random: 300 x 600MM 3 face



SR SG 6053 FL Finish: Antiskid Matt

300 x 300mm













SR SG 6054 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6054

 Finish:
 Size:
 Random:

 Sugar
 300 x 600MM
 3 face

SR SG 6054 HL SR SG 6054 DK
















Finish: Size: Random: Sugar 300 x 600MM Random:














SR SG 6056

Finish: Size: Random: Sugar 300 x 600MM 1 face



SR SG 6056 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6056 LT SR SG 6056 HL SR SG 6056 DK RANDOM

KANDOI







300 x **600MM**





SR SG 6057

Size: **300 x 600MM**



SR SG 6057 FL Finish: Antiskid Matt

300 x 300mm

SR SG 6057 LT SR SG 6057 HL

RANDOM













SR SG 6058

Size: **300 x 600MM** Random:

4 face



SR SG 6058 FL Finish: Antiskid Matt

300 x 300mm

SR SG 6058 LT SR SG 6058 HL SR SG 6058 DK













SR SG 6059

Finish: Size: Random: Sugar 300 x 600MM 4 face




SR SG 6059 FL

Finish: Antiskid Matt 300mm

SR SG 6059 HL SR SG 6059 DK
















SR SG 6060 HL SR SG 6060 DK SR SG 6060

Finish: Size: Sugar 300 x 600MM



SR SG 6060 FL Finish: Antiskid Matt

300 x 300mm











SR SG 6061

Finish: Size: Random Sugar 300 x 600MM Random



SR SG 6061 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6061 LT SR SG 6061 HL RANDOM SR SG 606

INDOM







LERAMIC E LONGRI







SR SG 6062 FL

300 x 300mm

SR SG 6062

Size: **300 x 600MM**


Random:



Finish: Antiskid Matt

SR SG 6062 HL SR SG 6062 DK













SR SG 6063

Finish: Size: Random: Sugar 300 x 600MM 1 face



SR SG 6063 FL Finish: Antiskid Matt

300 x 300mm

SR SG 6063 LT SR SG 6063 HL

RANDOM SR SG 60













SR SG 6064

Size: **300 x 600MM**

Random: 3 face



SR SG 6064 FL Finish: Antiskid Matt

300 x 300mm

SR SG 6064 LT SR SG 6064 HL SR SG 6064 DK

RANDOM














SR SG 6065

Size: **300 x 600MM**



SR SG 6065 FL Finish: Antiskid Matt

300 x 300mm

SR SG 6065 LT SR SG 6065 HL SR SG 6065 DK RANDOM









sugar





CERAMIC for LUXURY



SR SG 6066

Finish: Size: Ra

Sugar 300 x 600MM 3



SR SG 6066 FL Finish: Antiskid Matt 300 x 300mm

SR SG 6066 LT SR SG 6066 HL SR SG 6066 DK



Technical Specifications

Sr. No.	CHARACTERISTIC	EURO Standard EN-159/IS13759	BLACKBERRY Value
Dim	ension & Surface Quality		
1	Dimension & Surface Quality	0.5 %	0.4 %
2	Deviation in thickness	0.6 %	0.3 mm
3	Straightness of sides	0.3 %	0.2 %
4	Rectangularity	0.5 %	0.3 %
5	Surface flatness	0.5 %	0.3 %
6	Surface Quality	Min. 95 %	Min. 96 %

Phys	sical Properties		
1	Water Absorption	>0.10%	12-15%
2	Bending Strength	>150 kg./Cm ²	>150-180 kg./Cm²
3	Scratch Hardness (mohs scale)	Min. 3	Min. 3
4	Crazing Resistance	1 Cycle	No Crazing upto 4 Cycle

Che	emical Properties		
1	Staining Resistance	Min. Class 2	Resistant to all Acids and Alkalies & Household Chemical,
2	Impact Resistance	Min. Class B	except Hydro Flouric Acid

Ther	mo Hydrometric Properties		
1	Thermal Shock Resistance	Resistant 10 Cycle	Conforms
2	Thermal Expansion	Max. 9E-06	Conforms

PACKING DETAILS

NOMINAL SIZE	THICKNESS	NO. OF TILES PER BOX	COVERAGE AREA / BOX	WEIGHT PER BOX
300 x 600 mm	09 mm	5 Pcs.	0.90 Sq. Mtr.	14 kg.
300 x 300 mm	09 mm	10 Pcs.	0.90 Sq. Mtr.	14kg.

NOTES: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right of change the specification without prior notice. Sometime variation in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fming instructions in the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed

GENERAL NOTE: Any Complaint must be brought to the company's notice within 10 days of purchase & before fixing of tiles.



CERAMIC Or LUXURY

Fixing Instructions




Tiles Fixing Instructions

- 1. All the tiles must be checked prior to fixing for quality, batch no. and choice.
- 2. Plaster the surface of the floor to be tiled and allow curing atleast two weeks before tiling.
- 3. While fixing pick tiles from various boxes alternatively, lay them in the desired patterns and make sure that they give an acceptable blend of colour and design. Please note that shade variation is inherent in manufacturing tiles.
- 4. For fixing tiles we recommend to use the fixing adhesives or equivalent product for the best result.
- 5. For fixing tiles in floor using conventional method, we suggest the following laying instruction:
 - A: Use cement and sand mortar in the ratio 1:4. Add water to create a consistent paste.
 - B: Apply 20-25MM of bedding materials over the floor area of 1.0 SQM at a time.
 - C: Apply a thin coat of the slurry on the back of the tile to ensure proper and full bedding. Press gently for even adherence of the tiles with surface.

 Do not use any heavy materials like iron or hammer to press tile.
- 6: For fixing the tools on Dado, we recommend the use of adhesive or equivalent materials.
- 7: Allow 3-4 days of bed curing after Laying tiles and later fill the joints with grout.
- 8: We recommend maintaining a joint gap of 1-2mm between the tiles to allow possible thermal expansion at later stage.
- 9: Please note that company will not accept any liability in case of any problems arising out of adherence of above fixing instructions.



Step-1
Surface Preparation



Step-2
Preparation of Subgrade



Step-3 Laying of tiles on the Surface



Step-4
Post Tiling Work

Tile Laying, maintenance & Recommendations



Cleaning after Laying

We suggest a good initial cleaning after the laying on the floor or wall, this is very important for removing residual grouting and the normal dirt coming from the building works.

We suggest the use of a cementitious descaler, that is a lightly acid product that doesn't emit fumes that are harmful for the user and that can attack joints. In case of material layed with epoxy or resinous grouting, we recommend to clean after laying with specific detergent.



Regular Maintenance

For a good cleaning of the floor we suggest the use of a natural detergent with a high cleaning power. In case of strong dirty and encrusted by the time, we recommend to consult the following scheme to find the perfect solution to every situation

Recommendations

Drying Process

Once the tiles have been grouted and any excess grout cleaned off, it is important to wait the stipulated time before using the tiled surface; in other words, any cleaning should wait until the tiled surface is completely dry. We recommend waiting 5 days before cleaning in readiness for full use.

Damage Prevention

Measures should also be taken to protect the newly tiled surface against mechanical or chemical damage resulting from subsequent work by other professionals or later installations. Damage can be prevented by covering the floor tiles with thick cardboard or similar material.

Protection from Liquid

The newly tiled surface must be protected from water and damp while the adhesive and grouting materials are maturing and hardening. This is particularly important in outside spaces and areas where there is a risk offreezing.

Cleaning Products

For the final cleaning of the tiled surface, the products used should be compatible with the chemical resistance of the tiles. Avoid solid detergents with abrasive particles and solutions containing hydrofluoric acid, which attacks the glaze and causes irreversible damage to the ceramic tile.

TYPE OF DIRT	PRODUCT
Cement, Kalkstein, metal tracer, rust	Cementitious descaler
Residuals, stains and halos of epoxi joints	Epoxi descaler
Grease, tire marks, colours, marker, etc.	Non soap degrease
Grafitis	Acetone and antigraffiti star

Size-able Showcase



The intricacies of size and design affect the whole outlook and we understand your concern about the size specifications quite well. Also, the design that's uniform and long-lasting has a greater impact on your investment. Choose Blackberry Tiles and you need not worry about anything. Just let us know what you need

200 X 1800mm 00 X 1600mm 00 X 1200mm 00 X 600mm 00 X 600mm 00 X 450mm 00 X 300mm	GVT GVT GVT CERAMIC WALL TILES	
00 X 1200mm 00 X 600mm 00 X 600mm 00 X 450mm	GVT GVT	
00 X 600mm 00 X 600mm 00 X 450mm	GVT	
00 X 600mm 00 X 450mm		MARKET STATE OF THE RESIDENCE OF THE PARTY O
00 X 450mm	CERAMIC WALL TILES	
00 X 300mm	CERAMIC WALL TILES	1000
	CERAMIC WALL TILES / FLOOR TILES	



BLACKBERRY TILES PVT. LTD.

Admin Office

Jetpar Pipli Road, Sapar, Morbi-363642. Gujarat - INDIA

Customer Care No.: +91 90999 86724

